

ANALYSIS

Aggregation and the role of energy in the economy

Cutler J. Cleveland ^{a,*}, Robert K. Kaufmann ^a, David I. Stern ^{b,1}

^a *Center for Energy and Environmental Studies and Department of Geography, Boston University, 675 Commonwealth Avenue, Boston, MA 02215, USA*

^b *Centre for Resource and Environmental Studies, Australian National University, Canberra ACT 0200, Australia*

Received 30 July 1998; received in revised form 30 July 1999; accepted 30 July 1999

Abstract

Methods for investigating the role of energy in the economy involve aggregating different energy flows. A variety of methods have been proposed, but none has received universal acceptance. This paper shows that the method of aggregation has crucial effects on the results of the analysis. We review the principal assumptions and methods for aggregating energy flows: the basic heat equivalents approach, economic approaches using prices or marginal product for aggregation, energy analysis, and thermodynamic approaches such as exergy. We argue that economic approaches such as the index or marginal product method are superior because they account for differences in quality among fuels. We apply various economic approaches in three case studies in the US economy. In the first, we account for energy quality to assess changes in the energy surplus delivered by the extraction of fossil fuels from 1954 to 1992. The second and third case studies examine the importance of energy quality in evaluating the relation between energy use and GDP. First, a quality-adjusted index of energy consumption is used in an econometric analysis of the causal relation between energy use and GDP from 1947 to 1996. Second, we account for energy quality in an econometric analysis of the factors that determine changes in the energy/GDP ratio from 1947 to 1996. Without adjusting for energy quality, the results imply that the energy surplus from petroleum extraction is increasing, that changes in GDP drive changes in energy use, and that GDP has been decoupled from between aggregate energy use. All of these conclusions are reversed when we account for changes in energy quality. © 2000 Elsevier Science B.V. All rights reserved.

Keywords: Energy aggregation; Energy quality; Economy

1. Introduction

Investigating the role of energy in the economy involves aggregating different energy flows. A variety of methods have been proposed, but none is accepted universally. This paper shows that the method of aggregation affects analytical results. We review the principal assumptions and methods

* Corresponding author. Tel.: +1-617-3533083; fax: +1-617-3535986.

E-mail addresses: cutler@bu.edu (C.J. Cleveland), kaufmann@bu.edu (R.K. Kaufmann), dstern@cres.anu.edu.au (D.I. Stern)

¹ Tel.: +612-62490664; fax: +612-62490757.

for aggregating energy flows: the basic heat equivalents approach, economic approaches using prices or marginal product for aggregation, energy analysis and thermodynamic approaches such as exergy analysis. We argue that economic approaches such as the index or marginal product method are superior because they account for differences in quality among different fuels. We apply economic approaches to three case studies of the US economy. In the first, we account for energy quality to assess changes in the energy surplus delivered by the extraction of fossil fuels from 1954 to 1992. The second and third examine the effect of energy quality on statistical analyses of the relation between energy use and GDP. First, a quality-adjusted index of energy consumption is used in an econometric analysis of the causal relation between energy use and GDP from 1947 to 1996. Second, we account for energy quality in an econometric analysis of the factors that determine changes in the energy/GDP ratio from 1947 to 1996. Without adjusting for energy quality, the results imply that the energy surplus from petroleum extraction is increasing, that changes in GDP drive changes in energy use, and that GDP has been decoupled from aggregate energy. These conclusions are reversed when we account for changes in energy quality.

2. Energy aggregation and energy quality

Aggregation of primary level economic data has received substantial attention from economists for a number of reasons. Aggregating the vast number of inputs and outputs in the economy makes it easier for analysts to see patterns in the data. Some aggregate quantities are of theoretical interest in macro-economics. Measurement of productivity, for example, requires a method to aggregate goods produced and factors of production that have diverse and distinct qualities. For example, the post-War shift towards a more educated work force and from nonresidential structures to producers' durable equipment required adjustments to methods used to measure labor hours and capital inputs (Jorgensen and Griliches, 1967). Econometric and other forms of quantita-

tive analysis may restrict the number of variables that can be considered in a specific application, again requiring aggregation. Many indexes are possible, so economists have focused on the implicit assumptions made by the choice of an index in regard to returns to scale, substitutability, and other factors. These general considerations also apply to energy.

The simplest form of aggregation, assuming that each variable is in the same units, is to add up the individual variables according to their thermal equivalents (BTUs, joules etc.). Eq. (1) illustrates this approach:

$$E_t = \sum_{i=1}^N E_{it} \quad (1)$$

where E represents the thermal equivalent of fuel i (N types) at time t . The advantage of the thermal equivalent approach is that it uses a simple and well-defined accounting system based on the conservation of energy, and the fact that thermal equivalents are easily and uncontroversially measured. This approach underlies most methods of energy aggregation in economics and ecology, such as trophic dynamics (Odum, 1957), national energy accounting (US Department of Energy, 1997), energy input–output modeling in economics (Bullard et al., 1978) and ecosystems (Hannon, 1973), most analyses of the energy/GDP relationship (e.g. Kraft and Kraft, 1978) and energy efficiency, and most net energy analyses (Chambers et al., 1979).

Despite its widespread use, aggregating different energy types by their heat units embodies a serious flaw: it ignores qualitative differences among energy vectors. We define energy quality as the relative economic usefulness per heat equivalent unit of different fuels and electricity. Schurr and Netschert (1960) were among the first to recognize the economic importance of energy quality. Noting that the composition of energy use changes significantly over time (Fig. 1), Schurr and Netschert argued that the general shift to higher quality fuels affects how much energy is required to produce GNP.

The quality of electricity has received considerable attention in terms of its effect on the productivity of labor and capital and on the quantity of

energy required to produce a unit of GDP (Schurr and Netschert, 1960; Devine, 1986; Jorgensen, 1986; Rosenberg, 1998). Less attention has been paid to the quality of other fuels, and few studies use a quality-weighting scheme in empirical analysis of energy use.

The concept of energy quality needs to be distinguished from that of resource quality (Hall et al., 1986). Petroleum and coal deposits may be identified as high quality energy sources because they provide a very high energy surplus relative to the amount of energy required to extract the fuel. On the other hand, some forms of solar electricity may be characterized as a low quality source because they have a lower energy return on investment (EROI). However, the latter energy vector may have higher energy quality because it can be used to generate more useful economic work than one heat unit of petroleum or coal.

Taking energy quality into account in energy aggregation requires more advanced forms of aggregation. Some of these forms are based on concepts developed in the energy analysis literature such as exergy or emergy analysis. These methods take the following form:

$$E_t^* = \sum_{i=1}^N \lambda_{it} E_{it} \quad (2)$$

where the λ 's are quality factors that may vary among fuels and over time for individual fuels. In the most general case that we consider, an aggregate index can be represented as:

$$f(E_t) = \sum_{i=1}^N \lambda_{it} g(E_{it}) \quad (3)$$

where $f()$ and $g()$ are functions, λ_{it} are weights, the E_i are the N different energy vectors and E_t is the aggregate energy index in period t . An example of this type of indexing is the Discrete Divisia Index or Tornquist-Theil Index described below.

3. Economic approaches to energy quality

From an economic perspective, the value of a heat equivalent of fuel is determined by its price. Price-taking consumers and producers set marginal utilities and products of the different energy vectors equal to their market prices. These prices and their marginal productivities and utilities are set simultaneously in general equilibrium. The value marginal product of a fuel in production is the marginal increase in the quantity of a good or service produced by the use of one additional heat unit of fuel multiplied by the price of that good or service. We can also think of the value of the marginal product of a fuel in household production.

The marginal product of a fuel is determined *in part* by a complex set of attributes unique to each fuel such as physical scarcity, capacity to do useful work, energy density, cleanliness, amenability to storage, safety, flexibility of use, cost of conversion, and so on. But the marginal product is not uniquely fixed by these attributes. Rather, the energy vector's marginal product varies according to the activities in which it is used, how much and what form of capital, labor, and materials it is used in conjunction with, and how much energy is used in each application. As the price rises due to changes on the supply-side, users can reduce their use of that form of energy in each activity, increase the amount and sophistication of capital or labor used in conjunction with the fuel,




Fig. 1. Composition of primary energy use in the US. Electricity includes only primary sources (hydropower, nuclear, geothermal, and solar).

or stop using that form of energy for lower value activities. All these actions raise the marginal productivity of the fuel. When capital stocks have to be adjusted, this response may be somewhat sluggish and lead to lags between price changes and changes in the value marginal product.

The heat equivalent of a fuel is just one of the attributes of the fuel and ignores the context in which the fuel is used, and thus cannot explain, for example, why a thermal equivalent of oil is more useful in many tasks than is a heat equivalent of coal (Adams and Miovic, 1968; Mitchell, 1974; Webb and Pearce, 1975). In addition to attributes of the fuel, marginal product also depends on the state of technology, the level of other inputs, and other factors. According to neoclassical theory, the price per heat equivalent of fuel should equal its value marginal product, and, therefore, represent its economic usefulness. In theory, the market price of a fuel reflects the myriad factors that determine the economic usefulness of a fuel from the perspective of the end-user.

Consistent with this perspective, the price per heat equivalent of fuel varies substantially among fuel types (Table 1). The different prices demonstrate that end-users are concerned with attributes other than heat content. As Berndt (1978) states:

Because of [the] variation in attributes among energy types, the various fuels and electricity are less than perfectly substitutable — either in production or consumption. For example, from the point of view of the end-user, a Btu of coal is not perfectly substitutable with a Btu of electricity; since the electricity is cleaner, lighter, and of higher quality, most end-users are willing to pay a premium price per Btu of electricity. However, coal and electricity are substitutable to a limited extent, since if the premium price for electricity were too high, a substantial number of industrial users might switch to coal. Alternatively, if only heat content mattered and if all energy types were then perfectly substitutable, the market would tend to price all energy types at the same price per Btu (p. 242).

Table 1
US Market price for various energy types^a

Energy type	Market price (\$/10 ⁶ btu)
<i>Coal</i>	
Bituminous	
Mine-mouth	0.91
Consumer cost	1.40
Anthracite	
Mine-mouth	1.43
<i>Oil</i>	
Wellhead	2.27
Distillate oil	7.03
Jet fuel	3.95
LPG	6.22
Motor gasoline	8.91
Residual fuel oil	2.32
<i>Biofuels</i>	
Consumer cost	1.88
<i>Natural gas</i>	
Wellhead	1.65
Consumer cost	4.15
	20.34

^a Source: Department of Energy (1997). Values are 1994 prices.

Do market signals (i.e. prices) accurately reflect the marginal product of inputs? Kaufmann (1994) investigates this question in an empirical analysis of the relation between relative marginal product and price in US energy markets. To do so, he estimates a reduced form of a production function that represents how the fraction of total energy use from coal, oil, natural gas, and primary electricity (electricity from hydro and nuclear sources) affects the quantity of energy required to produce a given level of output (see Case Study 3). The partial derivatives of the production function with respect to each of the fuels gives the marginal product of individual fuels, in which marginal product is defined as the change in economic output given a change in the use of a heat unit of an individual fuel. The equations are used to calculate the marginal product for each fuel type for each year between 1955 and 1992. The time series for marginal products are compared among fuels, and these ratios are related to relative prices using a partial adjustment model. The results indicate that there is a long-run relation between

relative marginal product and relative price, and that several years of adjustment are needed to bring this relation into equilibrium. The results are summarized in Table 2, and suggest that over time prices do reflect the marginal product — and hence the economic usefulness — of fuels.

Other analysts calculate the average product of fuels, which is a close proxy for marginal products. Adams and Miovic (1968) estimate a pooled annual cross-sectional regression model of industrial output as a function of fuel use in seven European economies from 1950 to 1962. Their results indicate that petroleum is 1.6–2.7 times more productive than coal in producing industrial output. Electricity is 2.7–14.3 times more productive than coal. Using a regression model of the energy/GDP ratio in the US, Cleveland et al. (1984) find that the quality factors of petroleum and electricity relative to coal were 1.9 and 18.3, respectively.

3.1. Price-based aggregation

If marginal product is related to its price, energy quality can be measured by using the price of fuels to weight their heat equivalents. The simplest approach defines the weighting factor (λ 's) in Eq. (2) as:

$$\lambda_{it} = \frac{P_{it}}{P_{1t}} \quad (4)$$

where P_{it} is the price per Btu of fuel. In this case, the price of each fuel is measured relative to the

price of fuel type 1. Turvey and Nobay (1965) use Eq. (3) to aggregate fuel use in the UK.

The quality index in Eq. (4) embodies a restrictive assumption — that fuels are perfect substitutes — and the index is sensitive to the choice of numeraire (Berndt, 1978; Stern, 1993). Because fuels are not perfect substitutes, a rise in the price of one fuel relative to the price of output will not be matched by equal changes in the prices of the other fuels relative to the price of output. For example, the rise in oil prices in 1979–80 would cause an aggregate energy index which uses oil as the numeraire to fall dramatically. An index that uses coal as the numeraire would show a large fall in 1968–74, one not indicated by the oil-based index.

To avoid dependence on a numeraire, Berndt (1978, 1990) proposed a discrete approximation to the Divisia index to aggregate energy. The formula for constructing the discrete Divisia index E^* is:

$$\begin{aligned} & \ln E_t^* - \ln E_{t-1}^* \\ &= \sum_{i=1}^n \left(\left(\frac{P_{it} E_{it}}{2 \sum_{i=1}^n P_{it} E_{it}} + \frac{P_{it-1} E_{it-1}}{2 \sum_{i=1}^n P_{it-1} E_{it-1}} \right) \right. \\ & \quad \left. (\ln E_{it} - \ln E_{it-1}) \right) \end{aligned} \quad (5)$$

where P is the price of the n fuels, and E is the quantity of BTU for each fuel in final energy use. Note that prices enter the Divisia index via cost or expenditure shares. The Divisia index permits variable substitution among material types without imposing a priori restrictions on the degree of substitution (Diewert, 1976). Diewert (1976) shows that this index is an exact index number representation of the linear homogeneous translog production function where fuels are homothetically weakly separable as a group from the other factors of production. With reference to equation (3) $f() = g() = \Delta \ln()$, while λ_{it} is given by the average cost share over the two periods of the differencing operation.

Table 2
The marginal product of coal, oil, natural gas, and electricity relative to one another

	Minimum	Year	Maximum	Year
Oil:coal	1.83	(1973)	3.45	(1990)
Gas:coal	1.43	(1973)	2.76	(1944)
Electricity:coal	4.28	(1986)	16.42	(1944)
Oil:gas	0.97	(1933)	1.45	(1992)
Electricity:oil	1.75	(1991)	6.37	(1930)
Electricity:gas	2.32	(1986)	6.32	(1930)

3.2. Discussion

Aggregation using price has its shortcomings. Lau (1982) suggests that prices provide a reasonable method of aggregation if the aggregate cost function is homothetically separable in the raw material input prices. This means that the elasticity of substitution between different fuels is not a function of the quantities of non-fuel inputs used. This may be an unrealistic assumption in some cases. Also, the Divisia index assumes that the substitution possibilities among all fuel types and output are equal.

Another limit on the use of prices is that they generally do not exist for wastes. Thus, an economic index of waste flows is impossible to construct.

It is well-known that energy prices do not reflect their full social cost due to a number of market imperfections. This is particularly true for the environmental impact caused by their extraction and use. These problems lead some to doubt the usefulness of price as the basis for any indicator of sustainability (Hall, 1990; Odum, 1996). But with or without externalities, prices should reflect productivities. Internalizing externalities will shift energy use, which, in turn, will then change marginal products.

Moreover, prices produce a ranking of fuels (Table 1) that is consistent with our intuition and with previous empirical research (Schurr and Netschert, 1960; Adams and Miovic, 1968; Cleveland et al., 1984; Kaufmann, 1991). One can conclude that government policy, regulations, cartels and externalities explain some of the price differentials among fuels, but certainly not the substantial ranges that exist. More fundamentally, price differentials are explained by differences in attributes such as physical scarcity, capacity to do useful work, energy density, cleanliness, amenability to storage, safety, flexibility of use, cost of conversion, and so on. Wipe away the market imperfections and the price per BTU of different energies would vary due to the different combinations of attributes that determine their economic usefulness. The different prices per BTU indicate that users are interested in attributes other than heat content.

4. Alternative approaches to energy aggregation

While we argue that the more advanced economic indexing methods, such as Divisia aggregation, are the most appropriate way to aggregate energy use for investigating its role in the economy, the ecological economics literature proposes other methods of aggregation. We briefly review two of these methods in this section and assess limits on their ability to aggregate energy use.

5. Exergy

Ayres et al. (1996) and Ayres and Martiñas (1995) propose a system of aggregating energy and materials based on exergy. Exergy measures the useful work obtainable from an energy source or material, and is based on the chemical energy embodied in the material or energy, based on its physical organization relative to a reference state. Thus, exergy measures the degree to which a material is organized relative to a random assemblage of material found at an average concentration in the crust, ocean or atmosphere. The higher the degree of concentration, the higher the exergy content. The physical units for exergy are the same as for energy or heat, namely kilocalories, joules, BTUs, etc. For fossil fuels, exergy is nearly equivalent to the standard heat of combustion; for other materials specific calculations are needed that depend on the details of the assumed conversion process.

Ayres argues that exergy has a number of useful attributes for aggregating heterogeneous energy and materials. Exergy is a property of all energy and materials and in principle can be calculated from information in handbooks of chemistry and physics (e.g. Linde, 1991–1992) and secondary studies (e.g. Szargut et al., 1988). Thus, exergy can be used to measure and aggregate natural resource inputs as well as wastes. For these reasons, Ayres argues that exergy forms the basis for a comprehensive resource accounting framework that could “provide policy-makers with a valuable set of indicators.” One such indicator is a general measure of ‘technical efficiency’, the efficiency with which ‘raw’ exergy from ani-

mals or inanimate source is converted into final services. A low exergy efficiency implies potential for efficiency gains for converting energy and materials into goods and services. Similarly, the ratio of exergy embodied in material wastes to exergy embodied in resource inputs is the ‘most general measure of pollution’ (Ayres et al., 1996). Ayres and Martiñas (1995) also argue that the exergy of waste streams is a proxy for their potential ecotoxicity or harm to the environment, at least in general terms.

From an accounting perspective, exergy is appealing because it is based on the science and laws of thermodynamics and thus has a well-established system of concepts, rules, and information that are available widely. But like enthalpy, exergy should not be used to aggregate energy and material inputs to construct economic indicators because it is one-dimensional. Like enthalpy, exergy does not vary with, and hence does not necessarily reflect attributes of fuels that determine their economic usefulness, such as energy density, cleanliness, cost of conversion, and so on. The same is true for materials. Exergy cannot explain, for example, impact resistance, heat resistance, corrosion resistance, stiffness, space maintenance, conductivity, strength, ductility, or other properties of metals that determine their usefulness. Like prices, exergy does not reflect all the environmental costs of fuel use. The exergy of coal, for example, does not reflect coal’s contribution to global warming or its impact on human health relative to, say, natural gas. As Ayres (1995) and Martiñas note, the exergy of wastes is at best a rough first-order approximation of environmental impact because it does not vary with the specific attributes of a waste material and its receiving environment that cause harm to organisms or that disrupt biogeochemical cycles. In theory exergy can be calculated for any energy or material, but in practice, the task of assessing the hundreds (thousands?) of primary and intermediate energy and material flows in an economy is daunting.

5.1. *Emergy*

Odum (1996) analyzes energy and materials

with a system that traces their flows within and between society and the environment. It is important to differentiate between two aspects of Odum’s contribution. The first is his development of a biophysically-based, systems-oriented model of the relationship between society and the environment. Here Odum’s (1971; Odum and Odum, 1976) early contributions helped lay the foundation for the biophysical analysis of energy and material flows, an area of research that forms part of the intellectual backbone of ecological economics (Martinez-Alier, 1987; Krishnan et al., 1995; Costanza et al., 1997). The insight from this part of Odum’s work is illustrated by the fact that ideas he emphasized — energy and material flows, feedbacks, hierarchies, thresholds, time lags — are key concepts of the analysis of sustainability in a variety of disciplines.

The second aspect of Odum’s work, which we are concerned with here, is a specific empirical issue: the identification, measurement, and aggregation of energy and material inputs to the economy, and their use in the construction of indicators of sustainability. Odum measures, values, and aggregates energy of different types by their transformities. Transformities are calculated as the amount of one type of energy required to produce a heat equivalent of another type of energy. To account for the difference in quality of thermal equivalents among different energies, all energy costs are measured in solar emjoules (sej), the quantity of solar energy used to produce another type of energy. Fuels and materials with higher transformities require larger amounts of sunlight to produce and therefore are considered more economically useful (Odum, 1996).

Several aspects of the emergy methodology reduce its usefulness as a method for aggregating energy and/or material flows. First, like enthalpy and exergy, emergy is one-dimensional because energy sources are evaluated based on the quantity of embodied solar energy and crustal heat. But is the usefulness of a fuel as an input to production related to its transformity? Probably not. Users value coal based on its heat content, sulfur content, cost of transportation and other factors that form the complex set of attributes

that determine its usefulness relative to other fuels. It is hard to imagine how this set of attributes is in general related to — much less determined by — the amount of solar energy required to produce coal. Second, the emergy methodology is inconsistent with its own basic tenant, namely that quality varies with embodied energy or emergy. Coal deposits that we currently extract were laid down over many geological periods that span half a billion years (Tissot, 1979). Coals thus have vastly different embodied energy, but only a single transformity for coal is normally used. Third, the emergy methodology depends on plausible but arbitrary choice of conversion technologies (e.g. boiler efficiencies) that assume users choose one fuel relative to another and other fuels based principally on their relative conversion efficiencies in a particular application. Finally, the emergy methodology relies on long series of calculations with data that vary in quality. Yet little attention is paid to the sensitivity of the results to data quality and uncertainty, leaving the reader with little no sense of how precise or reliable the emergy calculations are.

6. Case study 1: net energy from fossil fuel extraction in the US

One technique for evaluating the productivity of energy systems is net energy analysis, which compares the quantity of energy delivered to society by an energy system to the energy used directly and indirectly in the delivery process. Cottrell (1955), Odum (1971) and Odum and Odum (1976) were the first to identify the economic importance of net energy. Energy return on investment (EROI) is the ratio of energy delivered to energy costs (Cleveland et al., 1984). There is a long debate about the relative strengths and weaknesses of net energy analysis.² One restriction on net energy analysis' ability to deliver the insights it promises is its

treatment of energy quality. In most net energy analyses, inputs and outputs of different types of energy are aggregated by their thermal equivalents. Following (Cleveland, 1992), this case study illustrates how accounting for energy quality affects calculations for the EROI of the US petroleum sector from 1954 to 1992.

6.1. Methods and data

Following the definitions in Eq. (2), a quality-corrected EROI is defined by:

$$\text{EROI}_t^* = \frac{\sum_{i=1}^n \lambda_{i,t} E_{i,t}^o}{\sum_{i=1}^n \lambda_{i,t} E_{i,t}^c} \quad (6)$$

where $\lambda_{i,t}$ is the quality factor for fuel type i at time t and E^o and E^c are the thermal equivalents of energy outputs and energy inputs, respectively. We construct Divisia indices for energy inputs and outputs to account for energy quality in the numerator and denominator. The prices for energy outputs (oil, natural gas, natural gas liquids) and energy inputs (natural gas, gasoline, distillate fuels, coal, electricity) are the prices paid by industrial end-users for each energy type (US Department of Energy, 1997).

Cleveland (1992) provides full details on the data and methods presented here. Energy inputs include only industrial energies: the fossil fuel and electricity used directly and indirectly to extract petroleum. The costs include only those energies used to locate and extract oil and natural gas and prepare them for shipment from the wellhead. Transportation and refining costs are excluded from this analysis. Output in the petroleum industry is the sum of the marketed production of crude oil, natural gas, and natural gas liquids.

The direct energy cost of petroleum is the fuel and electricity used in oil and gas fields (Bureau of Census, various years). Indirect energy costs include the energy used to produce material inputs and to produce and maintain the capital used to extract petroleum. The indirect energy cost of materials and capital is calculated from data for the dollar cost of those inputs to petroleum extraction processes. Energy cost of capital and

² In 1974 and 1975, the journal *Energy Policy* published a series of papers examining energy analysis. Many of these papers were collected in a volume (Thomas, 1977). For other exchanges on the subject, see Gilliland (1975); Huettner (1976); Huettner (1982); Costanza (1981); Costanza (1982); Daly (1981); Berndt (1983); Hall et al. (1986) and Herendeen (1988).




Fig. 2. Energy return on investment (EROI) for petroleum extraction in the US, with energy inputs and outputs measured in heat equivalents and a Divisia index.

materials is defined as the dollar cost of capital depreciation and materials times the energy intensity of capital and materials (BTU/\$). The energy intensity of capital and materials is measured by the quantity of energy used to produce a dollar's worth of output in the industrial sector of the US economy. That quantity is the ratio of fossil fuel and electricity use to real GDP produced by industry (US Department of Energy, 1997).

6.2. Results and conclusions

The thermal equivalent and Divisia EROI for petroleum extraction show significant differences (Fig. 2). The quality-corrected EROI declines faster than the thermal-equivalent EROI. The thermal-equivalent EROI increases by 60% relative to the Divisia EROI between 1954 and 1992. This difference is driven largely by changes in the mix of fuel qualities in energy inputs. Electricity, the highest quality fuel, is an energy inputs but not an energy output. Its share of total energy use rises from 2 to 12% over the period; its cost share increases from 20 to 30%. Thus, in absolute terms the denominator in the Divisia EROI is weighted more heavily than in the thermal equivalent EROI. The Divisia-weighted quantity of refined oil products is larger than that for gas and coal.

Thus, the two highest quality fuels, electricity and refined oil products, comprise a large and growing fraction of the denominator in the Divisia EROI compared to the thermal equivalent EROI. Thus the Divisia denominator increases faster than the heat-equivalent denominator, causing EROI to decline faster in the former case.

7. Case study 2: causality in the energy–GDP relationship

One of the most important questions about the environment–economy relationship is the strength of the linkage between economic growth and energy use. With a few exceptions (Cleveland et al., 1984; Berndt, 1990; Kaufmann, 1991; Stern, 1993; Patterson, 1996), most analyses ignore the effect of energy quality in the assessment of this relationship. One statistical approach to address this question is Granger causality and/or cointegration analysis (Granger, 1969; Engle and Granger, 1987).³ Granger causality tests whether (1) one variable in a relation can be meaningfully described as a dependent variable and the other variable an independent variable; (2) the relation is bi-directional; or (3) no meaningful relation exists at all. This is usually done by testing whether lagged values of one of the variables adds significant explanatory power to a model which already includes lagged values of the dependent variable and perhaps also lagged values of other variables.

While Granger causality can be applied to both stationary and integrated time series (time series which follow a random walk), cointegration applies only to linear models of integrated time series. The irregular trend in integrated series is known as a stochastic trend as opposed to a simple linear deterministic time trend. Time series of GDP and energy use usually are found to be integrated. Cointegration analysis aims to uncover causal relations among variables by determining if the stochastic trends in a group of variables are shared by the series so that the total number of

³ Stern (1993; 1998) provides a more detailed description of the methods and results presented here.

unique trends is less than the number of variables. It can also be used to test if there are residual stochastic trends which are not shared by any other variables. This may be an indication that important variables have been omitted from the regression model or that the variable with the residual trend does not have long-run interactions with the other variables.

Either of these conclusions could be true should there be no cointegration. The presence of cointegration can also be interpreted as the presence of a long-run equilibrium relationship between the variables in question. The parameters of an estimated cointegrating relation are called the cointegrating vector. In multivariate models there may be more than one such cointegrating vector.

7.1. Granger causality and the energy GDP relation

A series of analysts use statistical tests developed by Granger (1969) or Sims (1972) to evaluate whether energy use or energy prices determine economic growth, or whether the level of output in the US and other economics determine energy use or energy prices (Kraft and Kraft, 1978; Akarca and Long, 1980; Hamilton, 1983; Burbridge and Harrison, 1984; Yu and Hwang, 1984; Yu and Choi, 1985; Erol and Yu, 1987; Ammah-Tagoe, 1990; Abosedra and Baghestani, 1991). Generally, the results are inconclusive. Where significant results are obtained, they indicate causality running from output to energy use.

Stern (1993) tests US data (1947–1990) for Granger causality in a multivariate setting using a vector autoregression (VAR) model of GDP, energy use, capital, and labor inputs. He measures energy use by its thermal equivalents and the Divisia aggregation method discussed above. The relation among GDP, the thermal equivalent of energy use, and the Divisia energy use indicates that there is less ‘decoupling’ between GDP and energy use when the aggregate measure for energy use accounts for qualitative differences (Fig. 3). The multivariate methodology is important because changes in energy use fre-

quently are countered by substitution with labor and/or capital and thereby mitigate the effect of changes in energy use on output. Weighting energy use for changes in the composition of the energy input is important because a large part of the growth effects of energy are due to substitution of higher quality energy sources such as electricity for lower quality energy sources such as coal (Jorgenson, 1984; Hall et al., 1986) (Fig. 1).

Bivariate tests of Granger causality show no causal order in the relation between energy and GDP in either direction regardless of the measure used to qualify energy use (Table 3). In the multivariate model with energy measured in primary BTUs, GDP was found to ‘Granger cause’ energy use. However, when both innovations — a multivariate model and energy use is adjusted for quality — are employed, energy ‘Granger causes’ GDP. These results show that adjusting energy for quality is important as is considering the context within which energy use is occurring. The result that energy use plays an important role in determining the level of economic activity is consistent with the price-based studies of Hamilton (1983) and Burbridge and Harrison (1984).




Fig. 3. Energy use and GDP in the US, with energy use measured in heat equivalents and a Divisia index (From Stern, 1998).

Table 3
Energy GDP causality tests USA 1947–1990^a

	Bivariate model		Multivariate model	
	Primary BTUs	Quality adjusted energy	Primary BTUs	Quality adjusted energy
Energy causes	0.8328	0.9657	0.5850	3.1902
GDP	<i>0.4428</i>	<i>0.4402</i>	<i>0.5628</i>	<i>0.3188E-01</i>
GDP Causes	0.3421	0.7154	9.0908	0.8458
Energy	<i>0.7125</i>	<i>0.5878</i>	<i>0.7163E-03</i>	<i>0.5106</i>

^a The test statistic is an F statistic. Significance levels in italics. A significant statistic indicates that there is Granger causality in the direction indicated.

7.2. Cointegration and the energy GDP relation

Stern (1998) tests for cointegration between energy use and economic activity in the same multivariate model used in Stern (1993) with US data from 1948 to 1994. If a multivariate approach helps uncover the direction of Granger causality between energy and GDP, then a multivariate approach should clarify the cointegrating relations among variables. The Johansen methodology (Johansen, 1988; Johansen and Juselius, 1990) is used to test for the number of cointegrating vectors in the multivariate Vector Error Correction Model (VECM) estimate their parameters, and the rate at which energy use and economic activity adjusts to disequilibrium in the long-run relations. The VECM is given by:

$$\Delta y_t = \gamma + \alpha\beta'[1, t, y_{t-1}]' + \Gamma_i \Delta y_{t-i} + \varepsilon_t \quad (7)$$

in which y is a vector of variables (in logarithms), ε_t is a vector of random disturbances, Δ is the first difference operator, t is a deterministic time trend, γ is a vector of coefficients to be estimated, α is a matrix of adjustment coefficients (to be estimated), β is the matrix of cointegrating vectors (to be estimated), and the Γ_i are matrices of short-run dynamics coefficients (to be estimated). The test for the number of cointegrating vectors determines the dimensions of α and β .

The cointegrating vectors indicate that energy use and GDP are present in both cointegrating relations but the elements of α indicate that these cointegrating relations affect the equation for energy use only. This result indicates that there is a statistically significant relation between energy use

and GDP, but the direction of causality runs from economic activity to energy use. This result is consistent with Stern (1993).

Table 4 presents the results for the model using the quality-adjusted energy index. The third row in Table 4 presents tests for excluding each of the variables from the long-run relation. Restrictions that eliminate energy from the long-run relationships are rejected while the same restrictions for capital cannot be rejected. However, the statistics in the fourth row show that none of the variables can be treated as exogenous variables. The causal pattern is in general mutual. The fifth and sixth rows show the signs and significance of the adjustment coefficients. The first cointegrating relation has no significant effect on the capital equation. However, all the other coefficients are significant. This again confirms the mutual causality pattern.

Use of quality adjusted energy indices clearly has an important effect on analyses of Granger causality and cointegration. When energy is measured in thermal equivalents, research predominantly finds that either there is no relation between energy and GDP or that the relation runs from GDP to energy in both bivariate and multivariate models. The implications for the importance of energy in the economy are quite different in the two cases.

8. Case study 3: the determinants of the energy–GDP relationship

One of the most widely cited macroeconomic indicators of sustainability is the ratio of total

energy use to total economic activity, or the energy/real GDP ratio (E/GDP ratio). This ratio has declined since 1950 in many industrial nations. Controversy arises regarding the interpretation of this decline. Many economists and energy analysts argue that the declines indicate that the relation between energy use and economic activity is relatively weak. This interpretation is disputed by many biophysical economists. They argue that the decline in the E/GDP ratio overstates the ability to decouple energy use and economic activity because many analyses of the E/GDP ratio ignore the effect of changes in energy quality (Fig. 1).

The effect of changes in energy quality (and changes in energy prices, and types of goods and services produced and consumed) on the E/GDP ratio can be estimated using Eq. (6), which was developed by Gever et al. (1986) and Cleveland et al. (1984):

$$\begin{aligned} \frac{E}{\text{GDP}} = & \alpha + \beta_1 \text{Ln}\left(\frac{\text{Natural gas}}{E}\right) + \beta_2 \text{Ln}\left(\frac{\text{Oil}}{E}\right) \\ & + \beta_3 \text{Ln}\left(\frac{\text{Primary electricity}}{E}\right) \\ & + \beta_4 \left(\frac{\text{PCE}}{\text{GDP}}\right) + \beta_5 (\text{Product mix}) \\ & + \beta_6 \text{Ln}(\text{Price}) + \varepsilon \end{aligned} \quad (8)$$

in which E is the total primary energy consumption (measured in heat units), GDP is real GDP, Primary electricity is electricity generated from hydro, nu-

clear, solar, or geothermal sources, PCE is real personal consumption expenditures spent directly on energy by households, Product mix measures the fraction of GDP that originates in energy intensive sectors (e.g. chemicals) or nonenergy intensive sectors (e.g. services), and Price is a measure of real energy prices. Kaufmann (1992) applied this model to France, Germany, Japan and the United Kingdom.

The effect of energy quality on the E/GDP ratio is measured by the fraction of total energy consumption from individual fuels. The sign on the regression coefficients β_1 , β_2 , and β_3 is expected to be negative because natural gas, oil, and primary electricity can do more useful work (and therefore generate more economic output) per heat unit than coal. The rate at which an increase in the use of natural gas, oil, or primary electricity reduces the E/GDP ratio is not constant. Engineering studies indicate that the efficiency with which energies of different types are converted to useful work depends on their use. Petroleum can provide more motive power per heat unit of coal, but this advantage nearly disappears if petroleum is used as a source of heat (Adams and Miovic, 1968). From an economic perspective, the law of diminishing returns implies that the first uses of high quality energies are directed at tasks that are best able to make use of the physical, technical, and economic aspects of an energy type that combine to determine its high quality status. As the use of a high quality energy source expands, it

Table 4
Cointegration model^a

Variables	ln GDP	ln Energy	ln Capital	ln Labor	Trend
Coefficients of the first cointegrating vector	-1.174	0.354	-0.191	1	0.014
Coefficients of the second cointegrating vector	1	-0.237	-0.157	-0.689	-0.009
Chi-square test statistic for exclusion of variable from the cointegration space (5% critical level = 5.99)	13.24	18.08	1.62	17.92	11.48
Chi-square test statistic for weak exogeneity of the variables (5% critical level = 5.99)	11.80	16.13	8.18	16.27	-
First column of alpha (t stats in parentheses)	0.046 (2.005)	0.053 (2.150)	-0.005 (-0.974)	0.087 (4.239)	-
Second column of alpha (t stats in parentheses)	1.155 (4.213)	1.624 (5.472)	0.229 (3.551)	0.801 (3.271)	-

^a Coefficients of the cointegrating vectors multiply the relevant variables in the first row. Alpha coefficients transmit the effects of the first and second cointegrating relations to the equations for the relevant variables in the first row. First and second columns of alpha load first and second cointegrating relations, respectively, into the relevant equations.

is used for tasks that are less able to make use of the attributes that confer high quality. The combination of physical differences in the use of energy and the economic ordering in which they are applied to these tasks implies that the amount of economic activity generated per heat unit diminishes as the use of a high quality energy expands. Diminishing returns on energy quality is imposed on the model by specifying the fraction of the energy budget from petroleum, primary electricity, natural gas, or oil in natural logarithms. This specification ensures that the first uses of high quality energies decreases the energy/GDP ratio faster than the last uses.

The regression results (Table 5) indicate that Eq. (6) can be used to account for most of the variation in the energy/GDP ratio for France, Germany, Japan, and the UK during the post-war period (Kaufmann, 1992) and in the US since 1929 (Cleveland et al., 1984; Gevert et al., 1986; Kaufmann, 1994). All of the variables have the sign as expected by economic theory, are statistically significant, and the error terms have the properties assumed by the estimation technique.

Analysis of regression results indicate that changes in energy mix can account for a significant portion of the downward trend in E/GDP ratios. The change from coal to petroleum and petroleum to primary electricity is associated with a general decline in the E/GDP ratio in France, Germany, the UK, and the US during the post-war period (Fig. 4a–d). The fraction of total energy consumption that is supplied by petroleum increases steadily in each nation through the early 1970s. After the first oil shock, the fraction of total energy use from petroleum is steady or declines slightly in these four nations. However, energy mix continues to reduce the energy/real GDP ratio after the first oil shock because the fraction of total energy use from primary electricity rises steadily. The effect of changes in energy mix on the E/GDP ratio shows no trend over time in Japan, where the fraction of total energy consumption that is supplied by primary electricity falls through the early 1970s and increases steadily thereafter. This U shape offsets the steady increase in the fraction of total energy use from petroleum that occurs prior to 1973 (Table 5).

These regression results indicate that the historical reduction in the E/GDP ratio is associated with shifts in the types of energies used and the types of goods and services consumed and produced. Diminishing returns to high quality energies and the continued consumption of goods from energy-intensive sectors such as manufacturing imply that the ability for changes in the composition of inputs and outputs to reduce the energy/real GDP ratio further are limited.

9. Conclusions and implications

Application of the Divisia Index to energy use in the US economy illustrates the importance of energy quality in aggregate analysis. The quality-corrected index for EROI indicates that the energy surplus delivered by petroleum extraction in the US is smaller than indicated by unadjusted EROI. The trend over time in a quality-adjusted index of total primary energy use in the US economy is significantly different than and drops faster than the standard heat-equivalent index. Analysis of Granger causality and cointegration indicate a causal relationship running from quality-adjusted energy to GDP, but not from the unadjusted energy index. The econometric analysis of the energy/real GDP ratio indicates that the decline in industrial economies has been driven in part by the shift from coal to oil, gas, and primary electricity. Together these results suggest that accounting for energy quality reveals a relatively strong relationship between energy use and economic output. This runs counter to much of the conventional wisdom that technical improvements and structural change have decoupled energy use from economic performance. To a large degree, technical change and substitution has increased the use of higher quality energy and reduced use of lower quality energy. In economic terms this means that technical change has been ‘embodied’ in the fuels and their associated energy converters. These changes have increased energy efficiency in energy extraction processes, allowed an apparent ‘decoupling’ between energy use and economic output, and increased energy efficiency in the production of output.




Fig. 4. The results of a regression analysis (Eq. (6)) that predicts the E/GDP ratio as a function of fuel mix and other variables. Dark circles are actual values; solid lines are values predicted from regression equation. For the US, actual values are open circles. (From Kaufmann, 1992; Hall et al., 1986).

Table 5
Regression results^a

	Petroleum	Primary electricity	PCE on fuel	Fuel price ^b	Product mix ^c	<i>R</i>	ρ	Durbin-Watson	Estimation period
France	-0.227×10^{-1} (6.24)	-0.802×10^{-2} (4.79)	0.394 (2.89)	-0.176×10^{-1} (3.27)	0.153 (2.32)	0.98	0.29	1.95	1953–1987
Germany	-0.298×10^{-4} (12.2)	-0.167×10^{-4} (8.22)	0.421×10^{-2} (14.73)	-0.132×10^{-7} (4.59)	-0.359×10^{-3} (6.61)	0.991		2.12	1957–1986
Japan	-0.235×10^{-3} (2.83)	-0.302×10^{-3} (4.28)	$.0423 \times 10^{-1}$ (3.30)	$-.320 \times 10^{-3}$ (5.83)	0.253×10^{-4} (3.11)	0.953	0.47	2.26	1955–1986
UK	-0.883×10^{-3} (2.54)	$-.705 \times 10^{-4}$ (3.88)	0.124×10^{-1} (4.67)		0.159×10^{-2} (9.09)	0.968		1.82	1952–1986

^a *t*, Statistic in parentheses.

^b Fuel price, France (0–1); Germany (1–2); Japan (–2). Running average in parentheses.

^c Product mix, France (manufacturing); Germany (services); Japan (chemical, petroleum products, and basic metals); UK (manufacturing).

The manner in which these improvements have been largely achieved should give pause for thought. If decoupling is largely illusory, any rise in the cost of producing high quality energy vectors could have important economic impacts. Such an increase might occur if use of low cost coal to generate electricity is restricted on environmental, in particular climate change, grounds. If the substitution process cannot continue, further reductions in the E/GDP ratio would slow. Three factors might limit future substitution to higher quality energy. First, there are limits to the substitution process. Eventually all energy used would be of the highest quality variety — electricity — and no further substitution could occur. Future discovery of a yet higher quality energy source might mitigate this but it would be unwise to rely on the discovery of new physical principles. Second, as different energy sources are not perfect substitutes, the substitution process could have economic limits that will prevent full substitution. For example, it is difficult to imagine an airliner running on electricity. Third, it is likely that supplies of petroleum — which is of higher quality than coal — will begin to decline fairly early in the next century.

Finally, our conclusions do not imply that one-dimensional and/or physical indicators are universally inferior to the economic indexing approach we endorse. As one reviewer noted, ecologists might raise the problem of Leibig's law of the minimum in which the growth or sustainability of a system is constrained by that single critical element in least supply. Exergy or mass are appropriate if the object of analysis is a single energy or material flux. Physical units are also necessary to value those flows. Integrated assessment of a material cycle within and between the environment and the economy is logically based on physical stocks and flows. However, when the question being asked requires the aggregation of energy flows in economic systems, an economic approach such as Divisa aggregation or a direct measure of marginal product embody a more tenable set of assumptions than does aggregation by one-dimensional approaches.

References

- Abosedra, S., Baghestani, H., 1991. New evidence on the causal relationship between United States energy consumption and gross national product. *J. Ener. Devel.* 14, 285–292.
- Adams, F.G., Miovic, P., 1968. On relative fuel efficiency and the output elasticity of energy consumption in western Europe. *J. Ind. Econ.* 17, 41–56.
- Akarca, A., Long, T., 1980. On the relationship between energy and GNP: a reexamination. *J. Ener. Devel.* 5, 326–331.
- Ammah-Tagoe F.A., 1990. On woodfuel, total energy consumption and GDP in Ghana: a study of trends and causal relations. Center for Energy and Environmental Studies, Boston University, Boston, MA (mimeo).
- Ayres, R., Martiñas, K., 1995. Waste potential entropy: the ultimate ecotoxic? *Econ. Appl.* 48, 95–120.
- Ayres, R.U., Ayres, L.W., Martins, K., 1996. Eco-thermodynamics: exergy and life cycle analysis. INSEAD, Center for the Management of Environmental Resources. Working Paper 961041.
- Berndt, E.R., 1978. Aggregate energy, efficiency and productivity measurement. *Annu. Rev. Energy* 3, 225–273.
- Berndt, E., 1990. Energy use, technical progress and productivity growth: a survey of economic issues. *J. Prod. Anal.* 2, 67–83.
- Bullard, C.W., Penner, P.S., Pilati, D.A., 1978. Net energy analysis: a handbook for combining process and input–output analysis. *Resourc. Ener.* 1, 267–313.
- Burbridge, J., Harrison, A., 1984. Testing for the effects of oil prices rises using vector autoregressions. *Int. Econ. Rev.* 25, 459–484.
- Chambers, R.S., Herendeen, R.A., Joyce, J.J., Penner, P.S., 1979. Gasohol: does it or doesn't it provide positive net energy? *Science* 206, 789–795.
- Cleveland, C.J., 1992. Energy quality and energy surplus in the extraction of fossil fuels in the US. *Ecol. Econ.* 6, 139–162.
- Cleveland, C.J., Costanza, R., Hall, C.A.S., Kaufmann, R., 1984. Energy and the U.S. economy: a biophysical perspective. *Science* 255, 890–897.
- Costanza, R., Cleveland, C., Perrings, C. (Eds.), 1997. *The Development of Ecological Economics*. Edwin Elgar, London.
- Cottrell, W.F., 1955. *Energy and Society*. McGraw-Hill, New York, p. 330.
- Devine, W.D., 1986. Historical perspective on electrification in manufacturing. In: Schurr, S.H., Sonenblum, S. (Eds.), *Electric Power Research Institute, Electricity Use, Productive Efficiency and Economic growth*, pp. 131–164.
- Diewert, W.E., 1976. Exact and superlative index numbers. *J. Econ.* 4, 115–146.
- Engle, R.E., Granger, C.W.J., 1987. Cointegration and error-correction: representation, estimation, and testing. *Econometrica* 55, 251–276.

- Erol, U., Yu, E.S.H., 1987. On the causal relationship between energy and income for industrialized countries. *J. Ener. Devel.* 13, 113–122.
- Gever, J., Kaufmann, R., Skole, D., Vorosmarty, C., 1986. *Beyond Oil: The Threat to Food and Fuel in the Coming Decades*. Ballinger, Cambridge, p. 304.
- Granger, C.W.J., 1969. Investigating causal relations by econometric models and cross-spectral methods. *Econometrica* 37, 424–438.
- Hall, C.A.S., Cleveland, C.J., Kaufmann, R.K., 1986. *Energy and Resource Quality: The Ecology of the Economic Process*. Wiley Interscience, New York.
- Hall, C.A.S., 1990. Sanctioning resource depletion: economic development and neoclassical economics. *The Ecol.* 20, 99–104.
- Hamilton, J.D., 1983. Oil and the macroeconomy since World War II. *J. Polit. Econ.* 91, 228–248.
- Hannon, B., 1973. The structure of ecosystems. *J. Theoret. Biol.* 41, 535–546.
- Johansen, S., Juselius, K., 1990. Maximum likelihood estimation and inference on cointegration with application to the demand for money. *Ox. Bull. Econ. Stat.* 52, 169–209.
- Johansen, S., 1988. Statistical analysis of cointegration vectors. *J. Econ. Dynam. Contr.* 12, 231–254.
- Jorgensen, D.W., Griliches, Z., 1967. The explanation of productivity change. *Rev. Econ. Stud.* 34, 249–282.
- Jorgensen, D.W., 1986. The role of energy in productivity growth. In: Schurr, S.H., Sonenblum, S. (Eds.), *Electric Power Research Institute, Electricity Use, Productive Efficiency and Economic growth*, pp. 43–92.
- Jorgenson, D.W., 1984. The role of energy in productivity growth. *Ener. J.* 5 (3), 11–26.
- Kaufmann, R.K., 1992. A biophysical analysis of the energy/real GDP ratio: implications for substitution and technical change. *Ecol. Econ.* 6, 35–56.
- Kaufmann, R.K., 1994. The relation between marginal product and price in US energy markets. *Ener. Econ.* 16, 145–158.
- Kraft, J., Kraft, A., 1978. On the relationship between energy and GNP. *J. Ener. Devel.* 3, 401–403.
- Krishnan, R., Harris, J.M., Goodwin, N.R. (Eds.), 1995. *A Survey of Ecological Economics*. Island Press, Washington, DC, p. 384.
- Lau, L.J., 1982. The measurement of raw material inputs. In: Smith, V.K., Krutilla, J.V. (Eds.), *Explorations in Natural Resource Economics*. The Johns Hopkins University Press, Baltimore, pp. 167–200.
- Linde, D.R. (Ed.), 1991–1992. *CRC Handbook of Chemistry and Physics*, 72nd Edition, CRC Press, Boca Raton, Ann Arbor, Boston.
- Martinez-Alier, J., 1987. *Ecological Economics*. Basil Blackwell, Oxford, p. 286.
- Mitchell, E.J., 1974. *US Energy Policy: A Primer*. American Enterprise Institute for Public Policy Research, Washington, DC.
- Odum, H.T., 1957. *Trophic structure and productivity of Silver Springs, Florida*. *Ecol. Monogr.* 27, 55–112.
- Odum, H.T., Odum, E.C., 1976. *Energy Basis for Man and Nature*. McGraw-Hill, New York, p. 297.
- Odum, H.T., 1971. *Environment, Power and Society*. Wiley-Interscience, New York.
- Odum, H.T., 1996. *Environmental Accounting*. John Wiley and Sons, New York, p. 370.
- Patterson, M.G., 1996. What is energy efficiency? *Ener. Policy* 24, 377–390.
- Rosenberg, N., 1998. The role of electricity in industrial development. *Ener. J.* 19, 7–24.
- Schurr, S., Netschert, B., 1960. *Energy and the American Economy, 1850–1975*. Johns Hopkins University Press, Baltimore.
- Sims, C.A., 1972. Money, income and causality. *Am. Econ. Rev.* 62, 540–552.
- Stern, D.I., 1993. Energy use and economic growth in the USA: a multivariate approach. *Ener. Econ.* 15, 137–150.
- Stern, D.I., 1998. *A Multivariate Cointegration Analysis of the Role of Energy in the US Macroeconomy*, Working Papers in Ecological Economics 9803, Centre for Resource and Environmental Studies, Australian National University, Canberra, ACT 0200, Australia.
- Szargut, J., Morris, D.R., Steward, F.R., 1988. *Exergy Analysis of Thermal, Chemical and Metallurgical Processes*. Hemisphere Publishing Corporation, New York.
- Tissot, B.P., 1979. Effects on prolific petroleum source rocks and major coal deposits caused by sea level changes. *Nature* 277, 463–465.
- Turvey, R., Nobay, A.R., 1965. On measuring energy consumption. *The Econ. J.* 75, 789–793.
- US Department of Energy, 1997. *Annual Energy Review*.
- Webb, M., Pearce, D., 1975. The economics of energy analysis. *Ener. Policy* 3, 318–331.
- Yu, E.S.H., Choi, J-Y, 1985. The causal relationship between energy and GNP: an international comparison. *J. Ener. Devel.* 10, 249–272.
- Yu, E.S.H., Hwang, B., 1984. The relationship between energy and GNP: further results. *Ener. Econ.* 6, 186–190.